POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH
		Per
Total 1995 Population Est 183,630		Activities Reported Number 10,000
Percent Female 51.4	Note: Data in this section are from	
D 1	the 1990 Census. (All other	Public Health Nursing
Population per square mile 552	sections contain 1995 data	Total clients 882 .
Rank in state 3	except where specified.)	Total visits 2,310 .
(1=highest population density,	D. 4.1 C 1000 F	Visits: Reason for
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion 366 .
	Income to Poverty (Cumul ative)	Infant/child hlth 497 . Infectious & parasitic 317 .
Age Female Male Total	(Cumurative)	Infectious & parasitic 317 . Circulatory 64 .
0-14 20, 730 21, 660 42, 390	Age <100% <185% <200%	Prenatal 26 .
15- 19 6, 520 6, 640 13, 162	Age <100% <185% <200% Total <5 21 37 41 13, 367	Postpartum 836 .
20-24 5, 360 5, 360 10, 720	5-17 14 26 30 34,536	
25- 29 5, 780 5, 450 11, 230		WIC Participants 7,784 424
30-34 7,670 7,350 15,020	18-44 10 20 23 71,507 45-64 4 11 12 33,063 65+ 8 29 33 19,919	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
35-39 8, 190 7, 960 16, 150	65+ 8 29 33 19,919	Clinic Visits 23,275 1,267
40-44 7, 220 7, 170 14, 390		Immunization 14,118 769
45-54 11, 440 10, 930 22, 370		Blood pressure 4,832 263
55-64 7, 850 7, 430 15, 280		•
65-74 7, 110 5, 720 12, 830		Environmental Contacts
75-84 4,670 2,940 7,610	C A N C E R I N C I D E N C E	Env hazards 1,074 .
85+ 1,800 680 2,480	(1995)	Public health nuisance 11,266 .
Total 94, 340 89, 290 183, 630		
	Primary site Number	School Health
Ago Fomolo Molo Total	Col on 65 Lung 116	Vision screenings 7,056 . Hearing screenings 5,615 .
Age Femal e Mal e Total 0-17 24,760 25,750 50,510	Lung	Hearing screenings 5,615 .
18- 44 36, 710 35, 840 72, 550	Prostate 122	Health Education
45-64 19, 290 18, 360 37, 650	All others 428	Community sessions 236 .
65+ 13, 580 9, 340 22, 920	Total 865	Community attendance 6,559
Total 94, 340 89, 290 183, 630		School sessions 84 5
, , , , , , , , , , , , , , , , , , , ,	'	School attendance 1,653 90
E M P L O Y M E N T	LONG TERM CARE	Staffing - FTEs
		Total staff 55 3.0
Note: Average wage is based on place	W W 1.1	Administrators 8 .
of work, not place of residence.	Home Health Agencies 4	Public health nurses 14 0.8
A C	Patients 1,977	Public health aides 4.
Average wage for jobs covered	Patients per 10,000 pop 108	Environmental specialists 6 .
by Unemployment Compensation \$26,867	Nuncing Homes 11	
Labor Force Estimates Annual Average	Nursing Homes 11 Licensed beds 1,379	LOCAL PUBLIC HEALTH FUNDING
Labor Force Estimates Annual Average Civilian labor force 92,465	Occupancy rate (percent) 90.4%	LUCAL PUBLIC HEALTH FUNDING Per
Number employed 88, 427	0ccupancy rate (percent) 90.4% Residents on 12/31/95 1,245	Amount Capita
Number unemployed 4,038	Residents per 1,000	Total funding \$2,740,154 .
Unemployment rate 4.4%	population aged 65 or older 48	Total funding \$2,740,154 . Local taxes \$1,588,343 .
1. 1/4		
· ·	·	

----- N A T A L I T Y ------

			N N I N L					
TOTAL LIVE BIRTHS		2, 512	Birth Order	Bi rths	Percent	Marital Status		
			First	986	39	<u>of Mother</u>	Bi rths	Percent
Crude Live Birth Rate		13. 7	Second	852	34	Marri ed	1, 638	65
General Fertility Rat	e	61. 6	Thi rd	429	17	Not married	874	35
			Fourth or higher	244	10	Unknown	0	•
Live births with repo	rted		Unknown	1	•			
congenital anomalies	2	7 1.1%				Educati on		
			First Prenatal			<u>of Mother</u>	Bi rths	Percent
<u>Delivery Type</u>	Bi rths	Percent	<u>Vi si t</u>	Bi rths	Percent	Elementary or les	s 66	3
Vagi nal [*] after			1st trimester	1, 978	79	Some high school High school	410	16
previous cesarean	76	3	2nd trimester	386	15	High school	856	34
Forceps	108	4	3rd trimester	103	4 2	Some college College graduate	621	25
Other [*] vagi nal	1, 943	77	No visits	44	2	College graduate	557	22
Primary cesarean	271	11	Unknown	1	•	Unknown	2	
Repeat cesarean	113	4						
Other or unknown	1	•	Number of Prenatal	_		Smoking Status		
			<u>Care visits</u>	Bi rths	Percent	<u>of Mother</u>	Bi rths	Percent
<u>Birth Weight</u>	<u>Births</u>	Percent	No visits	44	2	Smoker	559	22
<1, 500 gm	39	1. 6	1-4 visits	93	4	Nonsmoker	1, 951	78
1, 500-2, 499 gm	129	5. 1	5-9 visits	460	18	Unknown	2	•
2, 500+ gm	2, 344	93. 3	10-12 visits	1, 256	50			
Unknown	0	•	13+ visits	652	26			
			Unknown	7	•			
Race of Mother White Black Other Unknown	Total E Births F 2,090 391 30 1		Low Birth Weight (under 2,500 gm) Births Percent 124 5.9 44 11.3	1st Tri <u>Bi rths</u> 1, 732 226 20		er of First Prenatal 2nd Trimester Births Percent 264 13 115 29 7 .	Other/I	Unknown Percent 4 13
	-	1	Low Birth Weight	4		er of First Prenatal	Visit	rr 1
A C . M 1	Fe	ertility	(under 2,500 gm)	Ist Tri	mester	2nd Trimester	Other/	
Age of Mother	Births	<u>Rate</u>	Births Percent	<u>Births</u>	Percent	Births Percent	<u>Births</u>	Percent
<15	12		1 .	4	40	6 . 49 36	2 20	1.5
15-17	135	33	9 .	66	49	49 36		15
18-19	207	83	19 . 35 6. 2	140	68	52 25	15	
20-24	568	106		406	71	113 20	49 36	9 5
25-29 30-34	725 609	125	$ \begin{array}{ccc} 51 & 7.0 \\ 37 & 6.1 \end{array} $	605	83	84 12 55 9		
30- 34 35- 39		79 97		536	88		18	•
	222	27	14 . 2 .	193 28	87 82	$\begin{array}{ccc} 23 & 10 \\ 4 & . \end{array}$	6 2	•
	() A		_	28	δZ	4 .	Z	•
40+	34	5						
	$\frac{34}{0}$				•		•	•
40+							•	

REPORTED CASES OF SELECTED DISEASES

<u>Di sease</u>	Number
Campylobacter Enteritis	45
Gi ardi asi s	31
Hepatitis Type A	17
Hepatitis Type B*	21
Hepatitis NÄNB/C**	<5
Legi onnai re' s	<5
Lyme	<5
Measles	0
Meningitis, Aseptic	6
Meningitis, Bacterial	<5
Mumps	0
Pertussi s	<5
Sal monel losi s	17
Shi gel l osi s	37
Tubercul osi s	5

- Includes HBV carriers Includes HCV screens

Sexually Transmitted Disease

Chlamydia Trachomatis	661
Genital Herpes	138
Gonorrhea	476
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	<5
Syphilis	26

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	31, 901
Non-compliant	1, 889
Percent Compliant	94. 4

------ MORBIDITY ------- MORTALITY ------

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

TOTAL DEATHS Crude Death Rat	te	1, 534 835
Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths 7 4 6 37 140 159 304 436 422	Rate
Infant Mortality Total Infant Neonatal Post-neonatal Unknown	Deaths 19 12 7	Rate · · ·
Race of Mother White Black Other Unknown	7 8 4	: : :
Birth Weight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	12 2 5	: : :
Perinatal Mortality Total Perinatal Neonatal Fetal	Deaths 20 12 8	Rate 7.9

Selected	D l	Dete
<u>Underlying Cause</u>	Deaths	<u>Rate</u>
Heart Disease (total)	520	283
Coronary heart disease	368	200
Cancer (total)	356	194
Lung	81	44
Colorectal	41	22
Female breast	20	21*
Cerebrovascul ar Di sease	99	54
Chron Obstr Pulmonary	63	34
Pneumonia & Influenza	54	29
Injuri es	73	40
Motor vehicle	37	20
Di abetes	50	27
Infectious & Parasitic	22	12
Sui ci de	21	11
1		

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol Other Drugs Both Mentioned	29 16 1	16
--	---------------	----

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor	Persons	Persons
<u>Věhicle Crash</u>	I nj ured	<u>Killed</u>
Total Crashes	2, 722	22
Al cohol - Rel ated	301	9
With Citation:		
For OWI	187	1
For Speeding	169	0
Motorcyclist	51	3
Bi cycl i st	111	1
Pedestri an	94	4

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Chargo Per Capita
Injury-Relate						Al cohol - Rel at e					
Total	1, 524	8. 3	5.8	\$11, 045	\$92	Total	465	2. 5	5. 6	\$4, 352	\$11
<18	172	3. 4	4. 2	\$6, 904	\$24	18-44	302	4. 2	5. 2	\$3, 817	\$16
18-44	483	6. 7	5. 9	\$12, 881	\$86	45-64	127	3.4	5.8	\$4, 853	\$16
45-64	310	8. 2	5.6	\$11, 785	\$97						
65+	_ 559	24. 4	6. 2	\$10, 322	\$252	Pneumonia and I					
In <u>j</u> ury: Hip	Fracture					Total	556	3.0	6. 1	\$7, 440	\$23
Total	212	1. 2	6.8	\$11,652	\$13	<18	108	2. 1	3. 4	\$3, 750	\$8
65+	190	8. 3	6. 9	\$11, 706	\$97	45-64	86	2. 3	6. 6	\$8, 755	\$20
In <u>j</u> ury: Poi						65+	281	12. 3	7.4	\$8, 587	\$105
Total	143	0.8	2. 9	\$3, 361	\$3						
18-44	87	1. 2	3. 0	\$3, 590	\$4	Cerebrovascul ar					
_						Total	497	2.7	5. 9	\$8, 951	\$24
Psychi atri c						45-64	109	2. 9		\$11, 535	\$33
Ťotal	1, 668	9. 1	10. 3	\$6, 753	\$61	65+	363	15.8	5. 4	\$7, 628	\$121
<18	458	9. 1	13. 7	\$8, 982	\$81						
18- 44	836	11. 5	8. 6	\$5, 474	\$63	Chronic Obstruc					
45-64	216	5. 7	9. 2	\$6, 279	\$36	Total	360	2. 0	4. 1	\$5, 236	\$10
65 +	158	6. 9	10. 4	\$7, 709	\$53	<18	64	1.3	2. 4	\$3, 253	\$4
						18-44	87	1. 2	3. 4	\$4, 341	\$5
Coronary Hear						45-64	89	2.4	5. 1	\$7,002	\$17
Total	1, 052	5. 7	5.0	\$17, 365	\$99	65+	120	5. 2	4.8	\$5, 632	\$29
45-64	427	11. 3	4. 5	\$17, 774	\$202						
65 +	569	24. 8	5. 5	\$17, 311	\$430	Drug-Related					
						Total	219	1. 2	6. 7	\$4, 133	\$5
Malignant Neo			Al l			18- 44	193	2. 7	6.8	\$4, 086	\$11
Total	754	4. 1	7.4	\$14, 687	\$60						
18-44	66	0. 9	7. 5	\$18, 413	\$17	Total Hospitali	zations				
45-64	250	6. 6	7. 2		\$100	Total	21, 021	114. 4	4. 9	\$7, 613	\$871
65+	428	18. 7	7. 3	\$13, 243	\$247	<18	4, 449	88 . 1	3.8	\$4, 686	\$413
Neopl asms:			ates for			18-44	6, 510	89. 7	3. 9	\$5, 843	\$524
Total	73	0.8	1. 9	\$5, 236 [^]	\$4	45-64	3, 797	100.8	5. 4		\$1,036
Neoplasms:		l				65+	6, 265	273. 3	6. 3	\$9, 917	\$2,710
Total	89	0. 5	9. 3	\$16, 407	\$8						
65+	61	2. 7	9. 9	\$16, 912	\$45	PREVENTA					
Neoplasms:	Lung		e			Total	2, 738	14. 9	5. 5	\$6, 829	\$102
Total	59	0. 3	7.8	\$13, 092	\$4	<18	423	8. 4	3. 1	\$4, 091	\$34
.						18-44	466	6. 4	4.6	\$5, 861	\$38
Di <u>a</u> betes						45-64	481	12.8	6. 1	\$8, 737	\$112
Total	259	1.4	5. 3	\$7, 242	\$10	65+	1, 368	59 . 7	6. 3	\$7, 334	\$438
65 +	78	3. 4	6. 9	\$9, 038	\$31				_		_
						* Hospitalization effective ambulation.	atory care	ondition e can re	ns where educe th	e timely a ne likelih	and aood of